







EQUIPMENT FOR RURAL PROPERTY CARE



Field Roller



MK MARTIN FIELD ROLLER

The MK Martin Field Roller, engineered to effectively pack and level your field surface, protecting your equipment from large rocks, and achieving optimal seed-to-soil contact. MK Martin builds for strength and performance. Unlike many field rollers, the MK Field Roller is built with an impressive half-inch thick rolled steel to form the drum. This additional thickness protects the drum from damage while rolling over larger rocks as well and ensuring superior weight per square foot for effective field preparation. Additionally, the MK Field Roller is built with a 3" diameter drum roller shaft. Easy transition from transport to field with the innovative forward fold design, allowing an effortless setup.



MKMARTIN



1/2" THICK DRUM



34' - 46' WIDTHS



36" DRUM DIAMETER



FORWARD FOLD DESIGN



MUD SCRAPER



NARROW TRANSPORT WIDTH



3" DRUM SHAFT & BEARING

SPECIFICATIONS

Models	R3436	R3636	R4136	R4636
Field Working Width	34'	36'	41'	46'
Frame Sections	11.5' -12' - 11.5'	12.5' -12' - 12.5'	15' -12' - 15'	17.5' -12' - 17.5'
Section Overlap	5"	5"	5"	5"
Machine Weight	16,190 lbs	17,275 lbs	19,055 lbs	20,855 lbs
Weight Per Foot	475 lbs	479 lbs	464 lbs	453 lbs
Drum Diameter	36"	36"	36"	36"
Drum Wall Thickness	1/2"	1/2"	1/2"	1/2"
Center Frame Transport Cylinder	5" x 48"	5" x 48"	5" x 48"	5" x 48"
Wing Boom Cylinder	4" x 48"	4" x 48"	4" x 48"	4" x 48"
U-Joint & Pivot Pin Diameter 2" w/ Maintenance Free Composite Bushings				
Drum Roller Shaft Diameter	3"	3"	3"	3"
Transport Dimensions	164"W x 270"L x 150"H			
Tires (4)	12.5LX15FI	12.5LX15FI	12.5LX15FI	12.5LX15FI

LIVING COUNTRY









3950 Steffler Rd., Elmira Ontario, N3B 2Z3
Toll Free: 855-664-2752
Tel: 519-664-2752
Email: sales@mkmartin.ca

www.mkmartin.ca

Authorized Dealer